



# Qualified Thermal Media Bulletin

**Internal:** 750-00340K-EN Rev B

**Release date:** May 1, 2026

## Overview

This document lists thermal media that are qualified for use on Kodak thermal CTP systems, with specific information regarding the different plate handling options available. This document only contains currently available CTP devices. For legacy devices, and for plate throughput estimates and qualified screens, see the CTP Media Imaging Performance Database.

If a media is not listed in this document, it is not qualified on Kodak CTP systems.

Starting in 2024, this document will be updated quarterly instead of monthly.

## How to Use This Document

Information is divided into categories based on the following device formats:

- 4&8 page commercial CTP

- VLF Commercial CTP

- Newspaper CTP (Standard resolutions of 1200 dpi and 1270 dpi)

- Newspaper CTP (Commercial resolutions of 2400 dpi and 2540 dpi)

Each category is further divided based on device types and automation options.

Find the requested device configuration in the appropriate table and look for the requested plate in the plate list. The intersection of the device and plate will have the qualification status. An additional column indicates whether or not the plate can be imaged at the full device specification for the available speed models. The speed models which allow full speed imaging are listed.



## Device Configuration Definitions

- AL – Autoloader
- APL – Automatic Pallet Loader
- AU – Auto-Unload
- CL – Continuous Load
- MCU – Multi Cassette Unit
- M – Manual. Equivalent to SA
- SA – Semi-Automatic
- SCU – Single Cassette Unit
- SPL/MPL – Single Pallet Loader / Multi Pallet Loader

Details on automation options can be found in the device specifications.

Note that automation options are unique to a device type. For example, the APL option for the MAGNUS 800 is different from the APL option for the MAGNUS VLF, and each is tested and qualified separately.

## Qualification Status Definitions

- Q** – Qualified  
This indicates that a plate is fully compatible with a particular device combination.
- L** – Limited Qualification  
A plate is qualified on a given device configuration but restrictions apply. Consult the CTP Media Imaging Performance Database for more details.
- NQ** – Not Qualified  
This indicates that a plate has either not been tested or has failed the qualification tests for a given device configuration.
- P** – Pending  
A temporary qualification status used for new plates that are in the process of being tested or qualified plates whose qualification is about to expire and re-qualification tests have not yet taken place. A plate with a 'Pending' status may continue to be qualified, or its qualification status may change, or it may become not qualified depending on the results of the re-qualification tests. A plate with a 'Pending' status will be supported by Kodak.
- E** – Expired  
Indicates that the qualification status has expired. This is equal to Not Qualified. Plates with expired qualification status are periodically removed from this bulletin. A plate that does not appear in this bulletin is assumed to be Not Qualified.



## Debris Removal Requirements

Starting with the May 2019 version of the bulletin, debris removal requirements are now displayed. Columns labeled 'UDRC' have been added to each device category. UDRC requirements depend on plate type and device speed.

If some but not all speeds require UDRC with a particular plate, then those speeds will be listed in the UDRC column (for example, X, W). Otherwise, the following are used:

- ALL – UDRC-BP Required on all models/speeds
- NR – UDRC-BP Not Required
- EV – UDRC-BP with External Venting Required
- N/A – plate is not qualified on the device, and/or UDRC is unavailable on the device

## Notes

Throughput (plates/hour) can be estimated with the CTP Media Imaging Performance Database; see next section for links.

Screening qualification depends on the specific device configuration and plate type. The screening qualification for a specific device and plate combination in the CTP Media Imaging Performance Database overrides the individual plate and device specifications.

For GENERATION NEWS devices, plates with an asterisk(\*) are NOT qualified on dual-head models (Z speed).

W and T speeds are new. Plates may not be qualified for all speed options on a given device. Consult the CTP Media Imaging Performance Database for more information.

## Links

CTP Media Imaging Performance Database:

<https://kodak.lightning.force.com/> (Article Number KA13408)

Sales Information Library & Toolkit:

<https://kodak.highspot.com> (search for 'media spreadsheet')

## Contact

Please direct any questions or comments regarding the content of this document to Nathanael Eijbersen:

<mailto:nathanael.eijbersen@kodak.com>



**4/8 Page MAGNUS and TRENDSETTER CTP for KODAK Media**

Device	MAGNUS Q800 F, X, W, T					TRENDSETTER Q400 F, X, W TRENDSETTER Q800 F, X, W				
	Handling Options	CL	SCU MCU	SPL MPL	Full Speed	UDRC	M AU	AL	SCU MCU	Full Speed
ELECTRA XD	Q	Q	Q	F,X	X,Z,W,T	Q	Q	Q	ALL	W
ELECTRA MAX	Q	Q	Q	F,X	X,Z,W,T	Q	Q	Q	ALL	W
DITR 4401	NQ	NQ	NQ	N/A	N/A	B	NQ	NQ	NONE	EV
SONORA Ultra	Q	Q	Q	F,X	NR	Q	Q	Q	ALL	NR
SONORA XTRA-2 (EAMER)	Q	Q	Q	F,X	NR	Q	Q	Q	ALL	NR
SONORA XTRA (US&C)	Q	Q	Q	F, X	NR	Q	Q	Q	ALL	NR
SONORA CX2 (Japan)	Q	Q	Q	F,X	NR	Q	Q	Q	ALL	NR
SONORA XTRA (Japan)	Q	Q	Q	F,X	NR	Q	Q	Q	ALL	NR
SWORD MAX	Q	Q	Q	F,X	X,Z,W,T	Q	Q	Q	ALL	W
TRILLIAN SP	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR
THERMAL NEWS PT	Q	Q	NQ	ALL	NR	Q	Q	Q	ALL	NR
CAPRICORN XR	Q	Q	Q	ALL	X,Z,W,T	Q	Q	Q	ALL	W
CAPRICORN GT	Q	Q	Q	F	R	Q	Q	Q	ALL	ALL
SWORD XD / XDW (Japan)	Q	Q	NQ	ALL	R	Q	Q	NQ	ALL	ALL
TP-U (Japan)	Q	NQ	NQ	F	R	Q	Q	NQ	ALL	ALL
TP-W (Japan)	Q	Q	NQ	ALL	R	Q	Q	NQ	ALL	ALL



**4/8 Page ACHIEVE, VERISET and VERISET PLUS CTP for KODAK Media**

	ACHIEVE T400 S, F ACHIEVE T800 S, F					VERISET T400 S, F VERISET T800 S, F			VERISET PLUS F Speed AL + UDRC		
	M AU	AL	SCU MCU	Full Speed	UDRC	M AU	AL	Full Speed	UDRC	AL	Full Speed
ELECTRA XD	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
ELECTRA MAX	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
DITR 4401	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	NQ	N/A
SONORA Ultra	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
SONORA XTRA-2 (EAMER)	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
SONORA XTRA (US&C)	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
SONORA CX2 (Japan)	Q	Q	Q	S	N/A	Q	Q	S	N/A	Q	YES
SONORA XTRA (Japan)	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
SWORD MAX	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
TRILLIAN SP	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
THERMAL NEWS PT	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
CAPRICORN XR	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
SWORD XD/XDW (Japan)	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
TP-U (Japan)	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
TP-W (Japan)	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES



### 4/8 Page MAGNUS and TRENDSETTER CTP for non-Kodak Media

Device	MAGNUS Q800 F, X, W, T					TRENDSETTER Q400 F, X, W TRENDSETTER Q800 F, X, W				
	CL	SCU DCU MCU	SPL MPL	Full Speed	UDRC	M AU	AL	SCU MCU	Full Speed	UDRC
<b>ECO3 (formerly Agfa)</b>										
Adamas	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR
Avatar T ZP	Q	Q	NQ	ALL	NR	Q	Q	Q	ALL	NR
Azura TE	Q	Q	NQ	F	R	Q	Q	Q	ALL	ALL
Azura TU	Q	Q	NQ	F	R	Q	Q	Q	ALL	ALL
Eclipse	Q	Q	NQ	F	NR	Q	Q	Q	ALL	NR
Eclipse Pro	Q	Q	NQ	F,X	R	Q	Q	Q	ALL	ALL
Energy Elite Pro	Q	Q	Q	F,X	ALL	Q	Q	Q	ALL	ALL
Energy Elite Eco	Q	Q	Q	X,W	X,Z,W,T	Q	Q	Q	ALL	W
Energy Verve	Q	Q	Q	F,X	NR	Q	Q	Q	ALL	NR
P970	Q	Q	NQ	F, X	ALL	Q	Q	NQ	ALL	ALL
<b>Mitsubishi Paper Mills</b>										
Infrared Laser Imaging Film (TRF-IR830)	NQ	NQ	NQ	N/A	N/A	Manual load / unload only. Not qualified for W speed			NONE	ALL
<b>Fujifilm</b>										
SUPERIA LH-PJ	Q	Q	Q <sup>2</sup>	ALL	ALL	Q	Q	Q	ALL	ALL
SUPERIA LH-PJE	Q	Q	Q <sup>2</sup>	ALL	ALL	Q	Q	Q	ALL	ALL
SUPERIA XP-F	Q	Q	Q <sup>2</sup>	ALL	ALL	Q	Q	Q	ALL	ALL
SUPERIA LH-PA	Q	Q	Q <sup>2</sup>	ALL	ALL	Q	Q	Q	ALL	ALL
SUPERIA LH-PK	Q	Q	Q <sup>2</sup>	ALL	ALL	Q	Q	Q	ALL	ALL
SUPERIA LH-PL	Q	Q	Q <sup>2</sup>	ALL	ALL	Q	Q	Q	ALL	ALL



Device	MAGNUS Q800 F, X, W, T					TRENDSETTER Q400 F, X, W TRENDSETTER Q800 F, X, W				
	Handling Options	CL	SCU DCU MCU	SPL MPL	Full Speed	UDRC	M AU	AL	SCU MCU	Full Speed
SUPERIA LH-PLE	Q	Q	Q <sup>2</sup>	ALL	ALL	Q	Q	Q	ALL	ALL
SUPERIA XP-L	Q	Q	Q <sup>2</sup>	ALL	ALL	Q	Q	Q	ALL	ALL
SUPERIA LH-PXE	Q	Q	Q <sup>2</sup>	F, X	ALL	Q	Q	Q	ALL	ALL
SUPERIA XL-T / XL-TA	Q	Q	Q <sup>2</sup>	F, X	ALL	Q	Q	Q	ALL	ALL
SUPERIA ZP	Q	Q	Q <sup>2</sup>	F, X	NR	Q	Q	Q	ALL	NR
SUPERIA Ecomaxx-T	Q	Q	Q <sup>2</sup>	F, X	NR	Q	Q	Q	ALL	NR
SUPERIA ZD	Q	Q	Q <sup>2</sup>	F, X	NR	Q	Q	Q	ALL	NR
SUPERIA ZD-II	Q	Q	NQ	F, X	NR	Q	Q	Q	ALL	NR
SUPERIA ZD-III	Q	Q	Q <sup>2</sup>	F, X	NR	Q	Q	Q	ALL	NR
SUPERIA ZX	Q	Q	Q <sup>2</sup>	F, X	NR	Q	Q	Q	ALL	NR
SUPERIA ZX, Type L	Q	Q	Q <sup>2</sup>	F, X	NR	Q	Q	Q	ALL	NR
FDT-572	Q	Q	Q <sup>2</sup>	F, X	NR	Q	Q	Q	ALL	NR
<b>Toray</b>										
VG5 / VG7	Q	Q	NQ	ALL	NR	Q	Q	Q	ALL	NR
VH5	Q	Q	NQ	ALL	NR	Q	Q	Q	ALL	NR
GC / SC / MC	Q	Q	NQ	ALL	NR	Q	Q	Q	ALL	NR
CA / GA / LA / MA / WA	Q	Q	NQ	ALL	NR	Q	Q	Q	ALL	NR
CB / GB / LB / MB / SB / WB	Q	Q	NQ	ALL	NR	Q	Q	Q	ALL	NR
TAC-WJ, TAC-GJ, TAC- LJ, TAC-SJ	Q	Q	NQ	See note 1	NR	Q	Q	Q	See note 1	NR
IMPRIMA TAC-FR	Q	Q	NQ	ALL	NR	Q	Q	Q	ALL	NR



4/8 Page **ACHIEVE, VERISET and VERISET Plus® CTP for non-Kodak Media**

	ACHIEVE T400 S, F ACHIEVE T800 S, F					VERISET T400 S, F VERISET T800 S, F				VERISET PLUS F Speed AL + UDRC	
	M AU	AL	SCU MCU	Full Speed	UDRC	M AU	AL	Full Speed	UDRC	AL	Full Speed
<b>ECO3 (formerly Agfa)</b>											
Adamas	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
Avatar T ZP	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
Azura TE	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
Azura TU	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
Eclipse	Q	Q	Q	NONE	N/A	Q	Q	NONE	N/A	Q	YES
Eclipse Pro	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
Energy Elite Pro	NQ	NQ	NQ	N/A	N/A	NQ	Q	ALL	N/A	Q	YES
Energy Elite Eco	NQ	NQ	NQ	N/A	N/A	NQ	Q	ALL	N/A	Q	YES
Energy Verve	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
P970	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
<b>Fujifilm</b>											
SUPERIA LH-PJ	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA LH-PJE	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA XP-F	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA LH-PA	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA LH-PK	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA LH-PL	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA LH-PLE	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA XP-L / XP-LA	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES



	ACHIEVE T400 S, F ACHIEVE T800 S, F					VERISET T400 S, F VERISET T800 S, F				VERISET PLUS F Speed AL + UDRC	
	M AU	AL	SCU MCU	Full Speed	UDRC	M AU	AL	Full Speed	UDRC	AL	Full Speed
<b>Fujifilm</b>											
SUPERIA LH-PXE	NQ	NQ	NQ	N/A	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA XL-T / XL-TA	NQ	NQ	NQ	NQ	N/A	NQ	NQ	N/A	N/A	Q	YES
SUPERIA ZP	Q	Q	Q	S	N/A	Q	Q	S	N/A	Q	YES
SUPERIA Ecomaxx-T	Q	Q	Q	S	N/A	Q	Q	S	N/A	Q	YES
SUPERIA ZD	Q	Q	Q	S	N/A	Q	Q	S	N/A	Q	YES
SUPERIA ZD-II	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
SUPERIA ZD-III	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
SUPERIA ZX	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
SUPERIA ZX Type L	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
FDT-572	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
<b>Toray</b>											
VG5 / VG7	Q	Q	Q	ALL	N/A	Q	Q	Q	ALL	Q	YES
VH5	Q	Q	Q	ALL	N/A	Q	Q	Q	ALL	Q	YES
GC / SC / MC	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
CA / GA / LA / MA / WA	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
CB / GB / LB / MB / SB / WB	Q	Q	Q	ALL	N/A	Q	Q	ALL	N/A	Q	YES
TAC-WJ, TAC-GJ, TAC- LJ, TAC-SJ	Q	Q	Q	See note 1	N/A	Q	Q	See note 1	N/A	Q	See note 1
IMPRIMA TAC-FR	Q	Q	Q	ALL	N/A	Q	Q	Q	N/A	Q	YES



## VLF (Very Large Format) CTP for KODAK Media

Device	MAGNUS Q3600 TITAN F, X, W					MAGNUS VLF Q2400/Q3600 F, X, Z, W					TRENDSETTER Q1600 F, X, W			TRENDSETTER Q2400/Q3600 F, X, W		
Handling Options	CL	MCU	MPL	Full Speed	UDRC	SA CL	MCU	APL	Full Speed	UDRC	SA	Full Speed	UDRC	SA	Full Speed	UDRC
ELECTRA XD	Q	Q	Q	F,X	W	Q	Q	Q	F, X	Z, W	Q	ALL	W	Q	F,X	W
ELECTRA MAX	Q	Q	Q	F,X	W	Q	Q	Q	F, X	Z, W	Q	ALL	W	Q	F,X	W
DITR 4401	NQ	NQ	NQ	N/A	EV	NQ	NQ	NQ	N/A	EV	Q	NONE	EV	Q	NONE	EV
SONORA Ultra	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR	Q	ALL	NR	Q	ALL	NR
SONORA XTRA-2 (EAMER)	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR	Q	ALL	NR	Q	ALL	NR
SONORA XTRA (US&C)	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR	Q	ALL	NR	Q	ALL	NR
SONORA CX2 (Japan)	Q	Q	Q	F	NR	Q	Q	Q	F	NR	Q	ALL	NR	Q	ALL	NR
SONORA XTRA (Japan)	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR	Q	Q	NR	Q	ALL	NR
SWORD MAX	Q	Q	Q	F,X	W	Q	Q	Q	F, X	Z, W	Q	ALL	W	Q	F,X	W
TRILLIAN SP	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR	Q	ALL	NR	Q	ALL	NR
THERMAL NEWS PT	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR	Q	ALL	NR	Q	ALL	NR
CAPRICORN GT	Q	Q	Q	NONE	ALL	Q	Q	Q	NONE	ALL	Q	ALL	ALL	Q	F	ALL
CAPRICORN XR	Q	Q	Q	F,X	W	Q	Q	NQ	F, X	Z, W	Q	ALL	R*-W	Q	F,X	R*-W
SWORD XD/XDW (Japan)	Q	NQ	NQ	F,X	ALL	Q	NQ	NQ	F, X	ALL	Q	F,X	ALL	Q	F	ALL
TP-U (Japan)	Q	L	NQ	NONE	ALL	Q	L	NQ	NONE	ALL	Q	F,X	ALL	Q	NONE	ALL
TP-W (Japan)	Q	L	NQ	F,X		Q	L	NQ	F, X	R	Q	ALL	ALL	Q	F, X	ALL



## VLF (Very Large Format) CTP for non-Kodak Media

Device	MAGNUS Q3600 TITAN F, X, W					MAGNUS VLF Q2400/Q3600 F, X, Z, W					TRENDSETTER Q1600 F, X, W			TRENDSETTER Q2400/Q3600 F, X, W		
	CL	MCU	MPL	Full Speed	UDRC	SA CL	MCU	APL	Full Speed	UDRC	SA	Full Speed	UDRC	SA	Full Speed	UDRC
<b>ECO3 (formerly Agfa)</b>																
Adamas	Q	Q	Q	F,X	NR	Q	Q	Q	F, X	NR	Q	ALL	NR	Q	F	NR
Azura TE	Q	Q	NQ	NONE	ALL	Q	Q	NQ	NONE	ALL	Q	NONE	ALL	Q	NONE	ALL
Azura TU	Q	Q	NQ	NONE	ALL	Q	Q	Q	NONE	ALL	Q	NONE	ALL	Q	NONE	ALL
Eclipse	Q	Q	NQ	F	NR	Q	Q	Q	F	NR	Q	ALL	NR	Q	F	NR
Eclipse Pro	Q	Q	NQ	F	ALL	Q	Q	Q	F	ALL	Q	ALL	ALL	Q	F,X	ALL
Energy Elite Pro	Q	Q	Q	F	ALL	Q	Q	Q	F	ALL	Q	ALL	ALL	Q	F,X	ALL
Energy Elite Eco	Q	Q	Q	ALL	W	Q	Q	Q	ALL	Z, W	Q	ALL	W	Q	F,X	W
Energy Verve	Q	Q	Q	ALL	NR	Q	Q	Q	ALL	NR	Q	ALL	NR	Q	ALL	NR
P970	Q	Q	NQ	F	ALL	Q	Q	Q	F	ALL	Q	ALL	ALL	Q	F,X	ALL
<b>Fujifilm</b>																
SUPERIA LH-PJ	Q	Q	Q	F,X	ALL	Q	Q	Q	F, X	ALL	Q	ALL	ALL	Q	F, X	ALL
SUPERIA LH- PJE	Q	Q	Q	F,X	ALL	Q	Q	Q	F, X	ALL	Q	ALL	ALL	Q	F, X	ALL
SUPERIA XP-F	Q	Q	Q	F,X	ALL	Q	Q	Q	F, X	ALL	Q	ALL	ALL	Q	F,X	ALL
SUPERIA LH-PA	Q	Q	Q	F,X	ALL	Q	Q	Q	F, X	ALL	Q	ALL	ALL	Q	F,X	ALL
SUPERIA LH-PK	Q	Q	Q	F,X	ALL	Q	Q	Q	F, X	ALL	Q	ALL	ALL	Q	F,X	ALL
SUPERIA LH-PL	Q	Q	Q	F,X	ALL	Q	Q	Q	F, X	ALL	Q	ALL	ALL	Q	F, X	ALL
SUPERIA LH- PLE	Q	Q	Q	F,X	ALL	Q	Q	Q	F, X	ALL	Q	ALL	ALL	Q	F, X	ALL



Device	MAGNUS Q3600 TITAN F, X, W					MAGNUS VLF Q2400/Q3600 F, X, Z, W					TRENDSETTER Q1600 F, X, W			TRENDSETTER Q2400/Q3600 F, X, W		
Handling Options	CL	MCU	MPL	Full Speed	UDRC	SA CL	MCU	APL	Full Speed	UDRC	SA	Full Speed	UDRC	SA	Full Speed	UDRC
SUPERIA XP-L / XP-LA	Q	Q	Q	F,X	ALL	Q	Q	Q	F,X	ALL	Q	ALL	ALL	Q	F,X	ALL
SUPERIA LH- PXE	Q	Q	P	F	ALL	Q	Q	P	F	ALL	Q	ALL	ALL	Q	F,X	ALL
SUPERIA XL-T / XL-TA	Q	Q	P	F	ALL	Q	Q	Q	F	ALL	Q	ALL	ALL	Q	F,X	ALL
SUPERIA ZP	Q	Q	Q	NONE	NR	Q	Q	Q	None	NR	Q	ALL	NR	Q	None	NR
SUPERIA Ecomaxx-T	Q	Q	Q	NONE	NR	Q	Q	Q	None	NR	Q	ALL	NR	Q	None	NR
SUPERIA ZD	Q	Q	P	NONE	NR	Q	Q	Q	None	NR	Q	ALL	NR	Q	None	NR
SUPERIA ZD-II	Q	Q	NQ	F,X	NR	Q	Q	Q	F,X	NR	Q	ALL	NR	Q	F,X	NR
SUPERIA ZD-III	Q	Q	P	F,X	NR	Q	Q	Q	F,X	NR	Q	ALL	NR	Q	F,X	NR
SUPERIA ZX	Q	Q	P	F,X	NR	Q	Q	Q	F,X	NR	Q	ALL	NR	Q	F,X	NR
SUPERIA ZX Type L	Q	Q	P	F,X	NR	Q	Q	Q	F,X	NR	Q	ALL	NR	Q	F,X	NR
FDT-572	Q	Q	P	F,X	NR	Q	Q	Q	F,X	NR	Q	ALL	NR	Q	F,X	NR
<b>Mitsubishi Paper Mills</b>																
Infrared Laser Imaging Film (TRF-IR830)	NQ	NQ	NQ	N/A	N/A	NQ	NQ	NQ	N/A	N/A	Q	None. W NQ	ALL	Q	None. W NQ	ALL
<b>Toray</b>																
VG5 / VG7	Q	NQ	NQ	ALL	NR	Q	NQ	NQ	ALL	NR	Q	ALL	NR	Q	F,X	NR
VH5	NQ	NQ	NQ	N/A	NR	NQ	NQ	NQ	N/A	NR	NQ	N/A	NR	NQ	N/A	NR
GC / SC / MC	Q	NQ	NQ	ALL	NR	Q	NQ	NQ	ALL	NR	Q	ALL	NR	Q	F,X	NR



Device	MAGNUS Q3600 TITAN F, X, W					MAGNUS VLF Q2400/Q3600 F, X, Z, W					TRENDSETTER Q1600 F, X, W			TRENDSETTER Q2400/Q3600 F, X, W		
Handling Options	CL	MCU	MPL	Full Speed	UDRC	SA CL	MCU	APL	Full Speed	UDRC	SA	Full Speed	UDRC	SA	Full Speed	UDRC
CA / GA / LA / MA / WA	Q	NQ	NQ	ALL	NR	Q	NQ	NQ	ALL	NR	Q	ALL	NR	Q	F,X	NR
CB / GB / LB / MB / SB / WB	Q	NQ	NQ	ALL	NR	Q	NQ	NQ	ALL	NR	Q	ALL	NR	Q	F,X	NR



## Newspaper CTP (1200 and 1270 DPI) for KODAK Media

Device	TRENDSETTER NEWS S, F, V				GENERATION NEWS V, Z			ACHIEVE NEWS F			
	AL	SCU MCU	Full Speed	UDRC	AL	Full Speed	UDRC	AL	SCU MCU	Full Speed	UDRC
ELECTRA XD	Q	Q	S	NR	Q	NONE	NR	Q	Q	ALL	N/A
ELECTRA MAX	NQ	NQ	N/A	NR	NQ	N/A	NR	Q	Q	ALL	N/A
SONORA Ultra	Q	Q	ALL	NR	Q	NONE	NR	Q	Q	ALL	N/A
SONORA NEWS	Q	Q	S	NR	Q	NONE	NR	Q	Q	NONE	N/A
SONORA XTRA-N	Q	Q	ALL	NR	Q	NONE	NR	Q	Q	ALL	N/A
SONORA XTRA-2 (EAMER)	Q	Q	ALL	NR	Q	NONE	NR	Q	Q	F	N/A
SONORA XTRA	Q	Q	ALL	NR	Q	NONE	NR	Q	Q	F	N/A
SONORA XTRA (Japan)	Q	Q	ALL	NR	Q	NONE	NR	Q	Q	F	N/A
SONORA NX2 (Japan)	Q	Q	ALL	NR	NQ	NONE	N/A	Q	Q	F	N/A
THERMAL NEWS PT	Q	Q	ALL	NR	Q	ALL	NR	NQ	NQ	N/A	N/A
TN-NEWS III (Japan)	Q	NQ	ALL	NR	NQ	N/A	NR	NQ	NQ	N/A	N/A
TRILLIAN SP	Q	Q	ALL	NR	Q	V	NR	Q	Q	ALL	N/A



## Newspaper CTP (1200 and 1270 DPI) for non-Kodak Media

Device	TRENDSETTER NEWS S, F, V				GENERATION NEWS V, Z			ACHIEVE NEWS F				
	AL	SCU MCU	Full Speed	UDRC	AL	Full Speed	UDRC	AL	SCU MCU	Full Speed	UDRC	
<b>ECO3 (formerly Agfa)</b>												
Avatar T CF	Q	Q	S	NR	Q	NONE	N/A	Q	Q	F	NR	
Avatar T ZP	Q	Q	ALL	NR	Q	ALL	NR	NQ	NQ	N/A	N/A	
Azura TU	Q	Q	S	ALL	NQ	N/A	ALL	NQ	NQ	N/A	N/A	
Azura TE	Q	Q	S	ALL	NQ	N/A	ALL	NQ	NQ	N/A	N/A	
Energy Elite Pro	Q	Q	S, F	ALL	NQ	N/A	ALL	NQ	NQ	N/A	N/A	
Energy Elite Eco	Q	Q	ALL	NR	NQ	N/A	NR	NQ	NQ	N/A	N/A	
Energy Verve	Q	Q	ALL	NR	Q	ALL	NR	NQ	NQ	N/A	N/A	
Thermostar P970	Q	Q	S	ALL	NQ	N/A	ALL	NQ	NQ	N/A	N/A	
<b>Fujifilm</b>												
SUPERIA ZD	Q	Q	S	NR	Q	NONE	NR	Q	Q	None	NR	
SUPERIA ZD-N	Q	Q	S	NR	Q	NONE	NR	Q	Q	None	NR	
SUPERIA ZX Type N	Q	Q	S	NR	Q	NONE	NR	Q	Q	F	NR	
<b>Verico Technology</b>												
Zahara Newz	Q	Q	S	NR	Q	NONE	NR	Q	Q	NONE	NR	
<b>Toray</b>												
CA / GA / LA / MA / WA	NQ	NQ	N/A	NR	Q	ALL	NR	NQ	NQ	N/A	N/A	
CB / GB / LB / MB / SB / WB	NQ	NQ	N/A	NR	Q	ALL	NR	NQ	NQ	N/A	N/A	
TAC-WS / TAC-GS / TAC-LS	Q	Q	S	NR	Q	NONE	NR	Q	Q	F	NR	



Device	TRENDSETTER NEWS S, F, V				GENERATION NEWS V, Z			ACHIEVE NEWS F			
	AL	SCU MCU	Full Speed	UDRC	AL	Full Speed	UDRC	AL	SCU MCU	Full Speed	UDRC
<b>Toray</b>											
TAC-WJ, TAC-GH, TAC-LJ, TAC-SJ	Q	Q	See note 1	NR	Q	See note 1	NR	Q	Q	See note 1	NR



## Newspaper CTP (2400 and 2540 DPI) for KODAK Media

Device	TRENDSETTER NEWS S, F				GENERATION NEWS V		
Handling Options	AL	SCU / MCU	Full Speed	UDRC	AL	Full Speed	UDRC
ELECTRA XD	Q	Q	ALL	NR	NQ	ALL	NR
ELECTRA MAX	Q	Q	ALL	NR	NQ	N/A	NR
SONORA Ultra	Q	Q	ALL	NR	Q	ALL	NR
SONORA NEWS	Q	Q	ALL	NR	Q	NONE	NR
SONORA XTRA-N	Q	Q	ALL	NR	Q	ALL	NR
SONORA XTRA-2 (EAMER)	Q	Q	ALL	NR	Q	V	NR
SONORA XTRA (US&C)	Q	Q	ALL	NR	Q	V	NR
SONORA XTRA (Japan)	Q	Q	ALL	NR	Q	NONE	NR
SONORA NX2 (Japan)	Q	Q	ALL	NR	NQ	N/A	N/A
SWORD MAX	Q	Q	ALL	NR	Q	ALL	NR
TRILLIAN SP	Q	Q	ALL	NR	NQ	N/A	NR
CAPRICORN GT	Q	Q	ALL	ALL	NQ	N/A	N/A
CAPRICORN XR	Q	Q	ALL	NR	NQ	N/A	NR
SWORD XD	Q	NQ	ALL	ALL	NQ	N/A	ALL
THERMAL NEWS PT	Q	Q	ALL	NR	Q	ALL	NR
TN-NEWS III	Q	NQ	ALL	NR	NQ	N/A	NR
TP-U (Japan)	Q	NQ	ALL	ALL	NQ	N/A	ALL



## Newspaper CTP (2400 and 2540 DPI) for non-Kodak Media

Device	TRENDSETTER NEWS S, F				GENERATION NEWS V		
Handling Options	AL	SCU / MCU	Full Speed	UDRC	AL	Full Speed	UDRC
<b>ECO3 (formerly Agfa)</b>							
Avatar T CF	Q	Q	S, F	NR	Q	V	NR
Avatar T ZP	Q	Q	ALL	NR	Q	ALL	NR
Azura TU	Q	Q	S	ALL	NQ	N/A	ALL
Azura TE	Q	Q	S	ALL	NQ	N/A	ALL
Energy Elite Pro	Q	Q	ALL	ALL	NQ	N/A	ALL
Energy Elite Eco	Q	Q	ALL	NR	NQ	N/A	NR
Energy Verve	Q	Q	ALL	NR	Q	ALL	NR
Thermostar P970	Q	Q	ALL	ALL	NQ	N/A	ALL
<b>Fujifilm</b>							
SUPERIA LH-PJ	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA LH-PJE	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA XP-F	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA LH-PA	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA LH-PK	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA LH-PL	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA LH-PLE	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA XP-L / XP-LA	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA LH-PXE	Q	Q	ALL	ALL	NQ	N/A	N/A
SUPERIA XL-T / XL-TA	Q	Q	NONE	ALL	NQ	N/A	N/A
SUPERIA ZP	Q	Q	ALL	ALL	NQ	N/A	N/A



Device	TRENDSETTER NEWS S, F				GENERATION NEWS V		
Handling Options	AL	SCU / MCU	Full Speed	UDRC	AL	Full Speed	UDRC
<b>Fujifilm</b>							
SUPERIA Ecomaxx-T	Q	Q	ALL	NR	NQ	N/A	N/A
SUPERIA ZD	Q	Q	ALL	NR	Q	NONE	NR
SUPERIA ZD-N	Q	Q	ALL	NR	Q	NONE	NR
SUPERIA ZX	Q	Q	ALL	NR	Q	NONE	NR
SUPERIA ZX Type L	Q	Q	ALL	NR	Q	NONE	NR
SUPERIA ZX Type N	Q	Q	ALL	NR	Q	ALL	NR
<b>Verico Technology</b>							
Zahara Newz	Q	Q	ALL	NR	Q	ALL	NR
<b>Toray</b>							
CA / GA / LA / MA / WA	NQ	NQ	N/A	NR	Q	ALL	NR
CB / GB / LB / MB / SB / WB	NQ	NQ	N/A	NR	Q	ALL	NR
TAC-WS / TAC-GS / TAC-LS	Q	Q	S, F	NR	Q	ALL	NR
TAC-WJ, TSC-GJ, TAC-LJ, TAC-SJ	Q	Q	See note 1	NR	Q	See note 1	NR



## Notes

1. Toray TAC-WJ, TAC-GJ, TAC-LJ, TAC-SJ plates have a water wash option for processing; however this significantly reduces plates/hour compared to standard processing conditions.
2. Use of Fujifilm plates on SPL/MPL option for Magnus® Q800 requires Soft and Safe gripper option available as factory upgrade (015-01290A-38) and field upgrade (015-00843A-76). Added in May 1, 2026 version of this bulletin.

## Updates to this version

Added requirement for Soft and Safe gripper option for Fujifilm plates on SPL/MPL option for Magnus® Q800.

### About Kodak

The leading provider of graphic communications solutions worldwide, Kodak offers image capture systems; professional color, copydot, and high-speed document scanning systems; inkjet printing and proofing systems; workflow and color management software; thermal imaging devices for film, plates, and proofs; high-quality proofing media, printing plates, and recording film; on-demand color and black-and-white printing systems; data storage products; and professional services. With corporate headquarters located in Rochester, N.Y., Kodak (NYSE: EK) has the largest global sales force and is committed to a digitally oriented growth strategy.

© Kodak, 2026. All rights reserved. Kodak, ACHIEVE, ACHIEVE NEWS, MAGNUS, TRENDSETTER, TRENDSETTER NEWS, VERISET, VERISET PLUS, GENERATION NEWS, ELECTRA XD, ELECTRA MAX, DITR 4401, SONORA, SONORA X, SONORA XTRA, SONORA XTRA-2, SONORA XTRA-3, SONORA X-N, SONORA NEWS, SONORA CX2, SONORA XTRA-N, SWORD MAX, SWORD XD, SWORD XDW, TRILLIAN SP, THERMAL NEWS PT, CAPRICORN XR, CAPRICORN GT, TN-News III are trademarks of Kodak.

\*SONORA XTRA-3 plates are not available in Germany.

Technical data subject to change without notice.